



By Email

Date-30.11.2022

CHO/MoEF/HYC/A/302/3175

To,
Deputy Director General of Forests (C)
Integrated Regional Office, Gandhi Nagar
Ministry of Environment, Forest & Climate Change,
A- Wing -407 & 409, Aranya Bhawan,
Near CH -3 Circle Sector-10 A,
Gandhinagar -382010 (Gujarat)

Subject: Submission of 6 Monthly Compliance Report of the conditions as laid down in the Environmental Clearance letter No J-11015/47/2005-IA. II (M), dated 07/10/2005, in respect of **Chorbedi (Composite) Limestone Mines**, pertaining to Shree Digvijay Cement Co Ltd. for the Period of April 22 to Sept. 22

Respected Sir,

As required, we are submitting herewith Pointwise compliance status to various stipulations, as laid-down in Environmental Clearance letter No. J-11015/47/2005-IA. II (M), dated 07/10/2005 with supporting documents, is enclosed with the following Annexure: -

- | | | | |
|----|--|---|------------|
| a. | Environment Statement in Form V for the year | : | Annexure A |
| b. | Ambient Air Quality Reports | : | Annexure B |
| c. | Noise Level | : | Annexure C |
| d. | Environment Yearly Expenses Statement | : | Annexure D |

We hope that you will find the above submission in order

Thanking you,

Yours faithfully,
For **SHREE DIGVIJAY CEMENT CO. LTD.**


Malay Kumar Rout
Manager (Mines)

Enclosure: As Above

Copy To:
The Environmental Engineer, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10A,
Gandhinagar -382010

**SHREE DIGVIJAY
CEMENT CO. LTD.**

Registered Office & Works
Post- Digvijaygram 361140, Jamnagar,
Gujarat, India.
CIN L26940GJ1944PLC000749

+91 288 234 4272-75
+91 288 234 4092
info@digvijaycement.com
www.digvijaycement.com

SHREE DIGVIJAY CEMENT CO. LTD.
CHORBEDI (COMPOSITE) LIMESTONE MINE

SIX MONTHLY COMPLIANCE STATUS
April-2022 to September-2022


S. NO.	CONDITIONS	COMPLIANCE STATUS																								
A.	Specific Conditions																									
(i)	The production capacity from this mine shall not exceed 0.9 MTPA with a capping of production of limestone to a capacity of 2.2 MTPA from all 5 Mines, namely Gop, Pachhtar, Mokhana, Chorbedi and Bhogat Limestone mines put together subject to the individual mines obtaining environmental clearance.	Production during April-2022 to Sept-2022 is 157923.115 MT from Chorbedi (Composite) Limestone Mine. 04 Mines viz. Gop, Chorbedi, Pachhtar and Mokhana Mines have obtained EC individually as detailed below: Gop Mines – J-11015/47/2005-IA. II (M) dated 7th October 2005. Chorbedi Mines – J-11015/47/2005-IA. II (M) dated 7th October 2005. Pachhtar Mines - J-11015/49/2005-IA. II (M) dated 7th October 2005. Mokhana Mines- J-11015/48/2005-IA. II (M) dated 7th October 2005. Production of all 05 Limestone Mines during April 2022 to Sept-2022 and its capacities are as under- <table><tr><th>Name of Mine</th><th>EC Capacity in Million Tons</th><th>Production in Million Tons</th><th>Remarks</th></tr><tr><td>Gop</td><td>0.25</td><td>0.159</td><td rowspan="5">Within the EC Limit</td></tr><tr><td>Pachhtar</td><td>1.00</td><td>0.443</td></tr><tr><td>Chorbedi</td><td>0.90</td><td>0.158</td></tr><tr><td>Mokhana</td><td>0.70</td><td>0.000</td></tr><tr><td>Bhogat</td><td>EC not granted</td><td>0.000</td></tr><tr><td>Total</td><td>2.85 (Limited to 2.20)</td><td>0.760</td><td></td></tr></table> Mokhana Mines: Whole lease area of Mokhana Mines was under Forest Land for which Possession taken over by Forest Department on 07.08.2004. The operations were stopped since 05.08.2004. Bhogat Mines: The area covered under CRZ and EC for this mine is rejected vide MoEF letter 09.10.2006. There is no production from Bhogat Mines Since 21.10.2004.	Name of Mine	EC Capacity in Million Tons	Production in Million Tons	Remarks	Gop	0.25	0.159	Within the EC Limit	Pachhtar	1.00	0.443	Chorbedi	0.90	0.158	Mokhana	0.70	0.000	Bhogat	EC not granted	0.000	Total	2.85 (Limited to 2.20)	0.760	
Name of Mine	EC Capacity in Million Tons	Production in Million Tons	Remarks																							
Gop	0.25	0.159	Within the EC Limit																							
Pachhtar	1.00	0.443																								
Chorbedi	0.90	0.158																								
Mokhana	0.70	0.000																								
Bhogat	EC not granted	0.000																								
Total	2.85 (Limited to 2.20)	0.760																								
(ii)	No mining shall be undertaken in forest land for which forestry clearance has not been obtained.	No Forestry Clearance given for 220.84 Hectares Forest land and possession handed over to Forest Department since 24.09.2004. No Mining is undertaken within the Forest Area since enforcement.																								
(iii)	Catch drains and siltation ponds of appropriate size and check dams should be constructed to arrest silt and sediment flows from the mining operations. The drains should be regularly desilted and maintained properly. Garland drain (size, gradient & length) shall be constructed for both mine pit and for the waste dump. Sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate	Construction of Garland Drains: For Waste Dump: Not applicable as there is no waste. For Mines: The mining is being done in slope and bottom of the hilly area following limestone deposits. Water flowing downwards from catchment is trapped into Mine Pits through water channels (Drains). The details are given in Annexure 1, vide our letter no Cho/MoEF/HYC/A/302/1985, Email dated 20.03.2020. Pits and Drains are marked in Surface Plan and submitted vide our letter no Cho/MoEF/HYC/A/302/1985, Email dated 20.03.2020 to your kind office as Annexure 2. Size of the Sump (Pit) is capable to receive and store 803900.00 KL of water with average rainfall 630 mm and calculated by considering 60 % run of coefficient collection efficiency =303874.2 KL.																								


S. NO.	CONDITIONS	COMPLIANCE STATUS														
	retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains.	Sumps are large enough to provide adequate retention period for proper settling of silt material.														
																
(iv)	Drills should be wet operated or with dust extractors.	Drill machines are not in operation.														
(v)	Controlled blasting should be practiced and only between 12 Noon and 2 PM. The mitigative measures for control of ground vibrations to arrest the fly rocks and boulders should be implemented.	Drilling & Blasting has been eliminated by the use of Ripper-Dozer and Excavator combination, an Eco-Friendly mining. 														
(vi)	Plantation shall be done over the lease area covering 20.95 ha, which includes a green belt of adequate width around the ML area, along roads by planting suitable native species in consultation with the local DFO/Agricultural Department. The density of trees should be around 1000 plants per hectare.	Plantation program is under progress & required area to be afforested during life of mine. A table with year wise plantation is given below; <table><tr><th>Year</th><th>Nos of Saplings planted</th></tr><tr><td>Up to 2018-19</td><td>5880</td></tr><tr><td>2019-20</td><td>1100</td></tr><tr><td>2020-21</td><td>4141</td></tr><tr><td>2021-22</td><td>11118</td></tr><tr><td>2022-23 (September-2022)</td><td>25336</td></tr><tr><td>Total</td><td>47575</td></tr></table> The species are selected as per recommendations of the Social Forestry division of the Forest Department at Taluka Lalpur, District Jamnagar. Saplings are also purchased from their Nursery. We have planted 25336.Nos of plants against the target of 1500 Nos of Plants for development of greenbelt over the next 10 years as per Annexure 3 of our letter no Cho/MoEF/HYC/A/302/1985, Email dated 20.03.2020.	Year	Nos of Saplings planted	Up to 2018-19	5880	2019-20	1100	2020-21	4141	2021-22	11118	2022-23 (September-2022)	25336	Total	47575
Year	Nos of Saplings planted															
Up to 2018-19	5880															
2019-20	1100															
2020-21	4141															
2021-22	11118															
2022-23 (September-2022)	25336															
Total	47575															

S. NO.	CONDITIONS	COMPLIANCE STATUS
	   	
(vii)	A water reservoir of 6 ha shall be created from the deeper section of worked out pit. The higher benches of the void shall be terraced, and plantation done to stabilize the slopes. Peripheral fencing shall be done along with excavated area.	A water reservoir of 6 ha. (Size – 400m X 150m) is created from the deeper section of worked out pit which helps in recharging ground water in the area. Terracing of Benches is being done. Planation at bench and fencing shall be created around the reservoir on maturity of mining operations; during final closure of the mining in 2033.
(viii)		
)	Ground water shall not be encountered during mining operations. Prior approval of the MOEF and CGWA shall be taken for mining below ground water.	Ground Water is not encountered during mining operations. Mining is being carried out as per Approved mining plan and no ground will intersect. The Limestone thickness in the area is 4-10 mtrs from GL, whereas the Water table lies about 12-20 mtrs BGL, so there is no possibility of working below Ground Water.
(ix)	Rainwater harvesting measures shall be taken up in consultation with the Regional Office, CGWB to recharge and augment groundwater in the area.	A study from reputed consultant and ex Director of CGWB is carried out for systematic Rainwater Harvesting in Chorbedi Mines. The report with proposals is submitted to Regional Office, CGWB, Ahmedabad along with application for Ground Water abstraction. As per proposal old mine pits are created which serves as recharge ponds. Additionally Circular pits in plantation area are also being made. Artificial Recharge structure at proposed Mines Office shall also be taken up once approval from CGWB, Ahmedabad is granted.

S. NO.	CONDITIONS	COMPLIANCE STATUS				
B.	General conditions					
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	Noted. There is no change in mining technology and scope of working.				
(ii)	No change in the calendar plan including excavation, quantum of limestone and waste should be made.	No change is made in the calendar plans including excavations, quantum of Limestone and waste.				
		Year	Mineral	Proposed Production as per approved Mining Plan in MT	Actual Production in MT	Remarks
		2022-23	Limestone	400000	157923.115 (September-2022)	
(iii)	Data on ambient air quality (RPM and SPM) should be regularly submitted once a year to the Ministry including its Regional Office (WZ) at Bhopal and the Gujarat State Pollution Control Board /Central Pollution Control Board once in six months.)	Ambient Air Quality is being monitored on regular basis and results are well within the stipulated norms. Monitoring reports are being submitted to all concerned offices regularly. A copy of test report for the period of April-2022 to June-2022 is attached herewith for your kind reference as Annexure B .				
(iv)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading & unloading) should be provided and properly maintained.	Water is being sprinkled continuously on the mine haul roads as well as near the faces in order to suppress the fugitive emissions generated due to the movements of vehicles. 				
(v)	Adequate measures should be taken for control of noise levels in the work environment.	Noise monitoring is being done regularly. The noise levels are well within the limits; however, ear plugs / earmuffs is being provided to operators. Copy of noise monitoring report for the period of April-2022 to June-2022 enclosed as Annexure C .				
(vi)	Industrial wastewater, if any, should be properly collected, treated so as to conform to the standards prescribed	Repair and maintenance of vehicles is being done at Tata Corgo workshop, Rajkot. All maintenance & treatment facilities like ETP are available as per				

S. NO.	CONDITIONS	COMPLIANCE STATUS																																	
	under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time.	the norms. A photograph is attached for your kind reference. 																																	
(vii)	Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance program of the workers is being taken regularly and Periodic Medical Examination (PME) of all the workmen is done at statutory intervals. Initial / Periodical Medical Examination is being carried out for following parameters as per Form O under rule 29 B of Mines Rules 1955 for all employees General Development: Height, Weight, Eye, Ears, Respiratory System, Circulatory System, Nervous System, Locomotor System, Hydrocele Any other abnormality. Urine, Skiagram of Chest, Cardiological Assessment, Neurological Assessment, ILO-Chest Radiograph, Spirometry, Audiometry, Pathological Test (Blood Sugar – Fasting & Post Prandial). So far not a single case is detected for dust borne disease.																																	
(viii)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to this Ministry's Regional Office located at Bhopal (WZ).	Noted. Year wise expenditures on environmental protection measures is given below: <table border="1"> <thead> <tr> <th>S.No.</th><th>Year</th><th>Recurring Yearly Expenditure (In Rs)</th></tr> </thead> <tbody> <tr><td>1</td><td>2013-14</td><td>₹ 303784</td></tr> <tr><td>2</td><td>2014-15</td><td>₹ 340882</td></tr> <tr><td>3</td><td>2015-16</td><td>₹ 356060</td></tr> <tr><td>4</td><td>2016-17</td><td>₹ 311700</td></tr> <tr><td>5</td><td>2017-18</td><td>₹ 437775</td></tr> <tr><td>6</td><td>2018-19</td><td>₹ 472097</td></tr> <tr><td>7</td><td>2019-20</td><td>₹ 417950</td></tr> <tr><td>8</td><td>2020-21</td><td>₹ 620250</td></tr> <tr><td>9</td><td>2021-22</td><td>₹ 762327</td></tr> <tr><td>10</td><td>2022-23 (September-2022)</td><td>₹ 2126820</td></tr> </tbody> </table> Details on Expenditure for environmental protection measures for the FY 2022-23 (up to September-2022) is enclosed as Annexure D.	S.No.	Year	Recurring Yearly Expenditure (In Rs)	1	2013-14	₹ 303784	2	2014-15	₹ 340882	3	2015-16	₹ 356060	4	2016-17	₹ 311700	5	2017-18	₹ 437775	6	2018-19	₹ 472097	7	2019-20	₹ 417950	8	2020-21	₹ 620250	9	2021-22	₹ 762327	10	2022-23 (September-2022)	₹ 2126820
S.No.	Year	Recurring Yearly Expenditure (In Rs)																																	
1	2013-14	₹ 303784																																	
2	2014-15	₹ 340882																																	
3	2015-16	₹ 356060																																	
4	2016-17	₹ 311700																																	
5	2017-18	₹ 437775																																	
6	2018-19	₹ 472097																																	
7	2019-20	₹ 417950																																	
8	2020-21	₹ 620250																																	
9	2021-22	₹ 762327																																	
10	2022-23 (September-2022)	₹ 2126820																																	
(ix)	The Regional Office (WZ) of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.	Noted. Compliance report is being submitted regularly along with annexures to all concerned offices along with MoEF &CC, Regional Office.																																	
(x)	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if	Copy of clearance letter has been submitted to all concerned Panchayat/Offices.																																	

S. NO.	CONDITIONS	COMPLIANCE STATUS
	any, from whom and suggestion / representation has been received while processing the proposal.	 SHREE DIGVIJAY CEMENT CO. LTD. SDCC/OPCB/CSJ/2005 13.12.2005 The Sarpanch Chorbedi Village Dist. Jamnagar Dear Sir, Subj: Environmental Clearance by M.O.E.F., New Delhi in respect of our Limestone Mines. Enclosed please find the Notified published Literature in respect of Environmental Clearance having been accorded to our Limestone Mines, by the M.O.E.F., New Delhi. The Publication has appeared in - 1) The Times of India Ahmedabad Edition 2) Phoolchhab Rajkot Edition Thanking you, Yours faithfully, For SHREE DIGVIJAY CEMENT CO. LTD. C. S. JOSHI VICE PRESIDENT (C.E. & M.) End : a/a
(xi)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days and provide copies of the same to anyone requesting for the same.	Noted.
(xii)	The project authorities should advertise in at least two local newspapers widely circulated around the project, one of which shall be in vernacular language of the locality concerned, within 7 days of the issue of clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at web site of the Ministry of Environment and Forests at http://envfor.nic.in .	Noted. We have published Environment Clearance information in the two local newspapers dated 10.12.2005. (1) Times of India – Ahmedabad Edition (2) Phoolchhab – Rajkot edition.  SHREE DIGVIJAY CEMENT CO. LTD. P.O. Digvijaygram, Via Jamnagar, 381 140 (Gujarat) Ph. : (0286) 2344272 to 275, Fax (0286) 2344092 e-mail: sdcc@shree-digvijay.com ENVIRONMENTAL CLEARANCE BY MOEF. Vide letters bearing Ref. Nos. J-11015/44/2005-IA.II(M) dated 7th October, 2005, J-11015/47/2005-IA.II(M) dated 7th October, 2005, J-11015/48/2005-IA.II(M) dated 7th October, 2005 and J-11015/49/2005-IA.II(M) dated 7th October, 2005, the Ministry of Environment and Forests, Government of India, New Delhi has accorded Post-Facto Environmental Clearance in respect of the below mentioned Limestone Mines of Shree Digvijay Cement Co. Ltd. 1. Pashthlar (Composite) Limestone Mine, Village Pashthlar, Taluka Bharvad, District Jamnagar, Gujarat. 2. Garp (Composite) Limestone Mine, Village Garp/Jenewar, Taluka Jamnaghpur, District Jamnagar, Gujarat. 3. Mohana Limestone Mine, Village Mohana, Taluka Bharvad, District Jamnagar, Gujarat. 4. Chorbedi (Composite) Limestone Mine, Village Chorbedi, Taluka Laspur/Jamjodhpur, District Jamnagar, Gujarat. Copies of the letters under reference are available with Gujarat Pollution Control Board, and may also be seen at the website of the Ministry of Environment & Forests at http://envfor.nic.in શ્રી દિગ્વીજય સીમેન્ટ કંપની લિ. પો. ડિગ્વીજગ્રામ, વી. જામનગર, ૩૮૧૧૪૦ (ગુજરાત) ફોન : (૦૨૮૬) ૨૩૪૪૨૭૨ થી ૨૭૫, ફેક્સ : (૦૨૮૬) ૨૩૪૪૦૯૨ e-mail: sdcc@shree-digvijay.com પરિવેશ સ્વચ્છતાના વાજ તથા પર્યાવરણ મંત્રાલય દ્વારા પર્યાવરણમંદિત પ્રતિપત્ર પાલક સરકારના પર્યાવરણ તથા વન મંત્રાલય, નવી દિલ્લી તરફથી મોકલેલ તારીખ ૭.૧૦.૨૦૦૫ નં. જી. ૧૧૦૧૫/૪૪/૨૦૦૫-આ.આ.આ. (૧) જી. ૧૧૦૧૫/૪૭/૨૦૦૫-આ.આ.આ. (૨) જી. ૧૧૦૧૫/૪૮/૨૦૦૫-આ.આ.આ. (૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૩૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૪૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૫૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૬૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૭૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૮૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૯૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૦૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૧૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૨૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૩૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૪૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૫૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૬૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૭૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૮૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૧૯૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૦૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૧૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૨૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૩૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૨) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૩) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૪) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૫) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૬) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૭) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૮) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૪૯) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૫૦) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૫૧) જી. ૧૧૦૧૫/૪૯/૨૦૦૫-આ.આ.આ. (૨૫૨) જી. ૧૧૦૧૫



REGISTERED A/D

GPCB-ID-30233

CHO/GPCB/Form -V/C/352/2914

Date: 07 April 2022

To,

The Environmental Engineer,
Gujarat Pollution Control Board,
Sector 10 A, Paryavaran Bhavan
Gandhinagar-382010 (Gujarat).

Subject: Submission of Form V for our Chorbedi (Composite) Limestone Mines pertaining to M/s Shree Digvijay Cement Company Limited

Sir,


We hereby submitting the form-V (Environment Audit Report) for the financial year ending 31st March 2022 (2021-2022) for our Chorbedi (Composite) Limestone mines.

We hope that you shall find the same in order.

Thanking you,

Yours faithfully,

For Shree Digvijay Cement Co. Ltd.


Shyam Narayan Singh

Manager Mine

Encl.: As above

Copy to Regional officer, GPCB, Jamnagar

**SHREE DIGVIJAY
CEMENT CO. LTD.**

Registered Office & Works
Post- Digvijaygram 361140, Jamnagar,
Gujarat, India.
CIN L26940GJ1944PLC000749

+91 288 234 4272-75
+91 288 234 4092
info@digvijaycement.com
www.digvijaycement.com

FORM V

Environment Audit Report for the financial year ending the 31st March 2022

PART – A

1. Name & Address of the Owner/
Occupier of the Industry
Operation or process : **Shree Digvijay Cement Co. Ltd.
Chorbedi (Composite) Limestone Mine
Survey No.1 Village-Chorbedi
Taluka- Lalpur, Distt. - Jamnagar
(Gujarat)**
2. Industry Category :
Primary: (STC Code) : **Mining Industry**
Secondary: (SIC Code)
3. Production Capacity : **0.9 million TPA**
4. Year of Establishment : **07.11.1983**
5. Date of the last Environmental
Statement submitted : **22.05.2021**

PART – B

Water & Raw Material Consumption

(i) * Water consumption M³ / day

Process	:	0
Cooling	:	0
Domestic (Drinking)	:	1.00 KL
Dust Suppression	:	5.00 KL
Plantation	:	0.50 KL

(*) P. S Yearly consumption spread equally over 365 days of a year

	Name of products	Process water consumption per unit of product	
		During previous Financial Year 2020-21	During current Financial Year 2021-22
	LIMESTONE	Not Applicable	Not Applicable

(ii) Raw material consumption

S. No.	Name of raw materials	Name of Products	Consumption of raw material per unit of output	
			During the previous financial year 2020-21	During the current financial year 2021-22
1.	Explosives	Limestone	0	0
2	Ammonium nitrate		0	0
3	Detonating Fuse		0	0
4	Safety Fuse		0	0
5	Detonator		0	0
6	Cord Relays		0	0
7	HSD		21135 L	144825 L
10	Lubricant oil		75 L	4083 L
11	Grease		123 Kg	578 Kg

PART – C

Pollution discharged to Environment/unit of output

(Parameter as specified in the consent issued)

	Pollutants	Qty. of pollutants discharged (Kg/Day)	Concentration of pollutants in discharges (Mg/Nm ³)	Percentage of variation from prescribed standard with reasons
(a)	Water	NIL		
(b)	Air	Enclosed Annexure-1		
		--	--	--
		--	--	--
		--	--	--

Note: The prescribed limit of concentration as per the Consent issued –

Sr. No.	Pollutant	Time Weightage Average	Concentration in Ambient Air
1	Sulphur dioxide (SO ₂) in Microgram/M ³	Annual 24 hours	50 80
2	Nitrogen Dioxide(NO _x) in Microgram/M ³	Annual 24 hours	40 80
3	Particulate Matter (Size less than 10 Microgram/M ³ or PM 10 Microgram/M ³)	Annual 24 hours	60 100
4	Particulate Matter (Size less than 2.5 Microgram/M ³ or PM 2.5 Microgram/M ³)	Annual 24 hours	40 60

PART – D

Hazardous Wastes

(As specified under Hazardous Wastes/Management & Handling Rules, 1989)

	Hazardous Wastes	Total Quantity (Kg.)	
		During the previous Financial Year-2020-21	During the current Financial Year -2021-22
(a)	From Process (Used Oil from Machines)	10 Liters	110 Liters
(b)	From pollution control facilities		

PART – E

(Solid Wastes)

		Total Quantity	
		During the Previous Financial Year	During the current Financial Year
(a)	From process	Not applicable , as there is no generation of solid waste from the process.	
(b)	From pollution control Facility		
(c)	i) Quantity recycled or re-utilized within the unit		
	ii) Sold		
	iii) Disposed		

PART - F

Please specify the characterization (in terms of concentration and quantum) of Hazardous as well as solid waste and indicate disposal practice adopted for both these categories of waste.

The used oil when taken out of machine at oil change time, it is collected in an empty barrel. This oil is reused for external lubrication of running moving parts of loading machine.

Not applicable as described above in Part - E.

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Due to additional higher investment cost of pollution control monitoring and abatement measures there is slight additional burden on cost of production. Thus, the cost of production increases to certain extent. However, as it is absolutely necessary to have a pollution control to conserve ecology & environment, we have planted trees in the mines.

PART - H

Additional measures investment proposal for environmental protection including abatement of pollution, prevention of pollution.

Following control measures were contemplated for reducing dust in mines.

1. Mining is being done by Eco-friendly Dozer-Ripper.
2. Dust suppressed on haul road by water sprinkling.
3. Fumes and smoke emissions from HEMM controlled by regular maintenance and timely overhaul of engines.
4. Tarpaulin covering on the transporting vehicle before leaving the mine site.
5. AAQ monitoring is done on regular basis. Contract awarded to Royal Environment Auditing and consultancy Service, Rajkot and reports are submitted to GPCB, Gandhinagar, MOEF, New Delhi and Regional Office of MOEF.

PART - I

Any other particulars for improving the quality of the environment

Following are various measures taken by us: -

1. Adequate plantation has been done in mines.
2. Mining is carried out as per Approved Mining Plan.
3. Sense of creating & maintaining clean environment among the employees are being created by celebrating Mines Environment and Mineral Conservation Week every year and Environment Day and other such functions time to time on Environment, keeping slogan boards on environment etc.

Date: 07.04.2022

Signature of a person carrying out
an industry, operation or process

Name: SHYAM NARAYAN SINGH
Designation: Manager (Mines)
Address: Shree Digvijay Cement Co. Ltd.
P.O. Digvijaygram 361140
(Via) Jamnagar, Gujarat



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Annexure-
B

Ref. No. :690/06/2022-23

Date: 30/06/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : JUNE 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited
Digvijaygram - 361 140.
District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	07/06/2022	07/06/2022	08/06/2022	08/06/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SE	SE	SE	SE
04.	Average Wind Speed	Km./Hrs.	4 to 18	4 to 18	4 to 18	4 to 18
05.	Average flow rate during sampling	m3/minutes	1.10	1.20	1.10	1.13
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	26.5	25.4	27.9	26.6
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	48.6	49.3	46.7	48.2
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	14.2	13.6	12.2	13.3
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	23.7	22.5	20.1	22.1

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No.: 691/06/2022-23

Date: 30/06/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : JUNE 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	07/06/2022	07/06/2022	08/06/2022	08/06/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SE	SE	SE	SE
04.	Average Wind Speed	Km./Hrs.	4 to 18	4 to 18	4 to 18	4 to 18
05.	Average flow rate during sampling	m3/minutes	1.10	1.20	1.20	1.17
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	29.4	27.6	28.3	28.4
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	49.3	47.5	48.4	48.4
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.6	12.7	14.1	13.5
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	22.1	23.5	21.6	22.4

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 • E-mail : royaleenvironment@live.com • admin@royalconsultancy.com

Ref. No. : 7050/06/2022-23

Date: 30/06/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : JUNE 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	24/06/2022	24/06/2022	24/06/2022	24/06/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	5 to 19	5 to 19	5 to 19	5 to 19
05.	Average flow rate during sampling	m3/minutes	1.12	1.21	1.16	1.16
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	29.4	26.5	27.3	27.7
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	46.5	49.2	47.3	47.7
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	11.4	13.1	12.0	12.2
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	20.2	18.6	21.8	20.2

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service RAJKOT



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. :7051/06/2022-23

Date: 30/06/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : JUNE 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited
Digvijaygram - 361 140.
District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	24/06/2022	24/06/2022	24/06/2022	24/06/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	5 to 19	5 to 19	5 to 19	5 to 19
05.	Average flow rate during sampling	m ³ /minutes	1.10	1.19	1.15	1.15
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	28.6	27.9	29.1	28.5
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	48.3	47.5	49.0	48.3
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	10.9	12.3	11.5	11.6
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	21.2	22.4	18.9	20.8

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Reference No. : 3021/06/2022-23

Date : 30/06/2022

Personnel Dust Monitoring of HEMM Operators

1. Name of Unit: Chorbedi Limestone Mine of Shree Digvijay Cement Company Limited

Village: Chorbedi, Taluka Lalpur, Dist: Jamnagar

2. Type of Unit: Limestone Mining

3. Activity: HEMM Operation

4. Type of Sample: Personnel Dust Monitoring of HEMM Operators

5. Sample Collected by: Mr. Ashish Patat

6. Date of Monitoring: 24th June, 2022

Sr. No.	Date	Location / Operation Mentioned (Operator 's Cabin of)	Name of Operator	Identified Contaminant	Sampling Instrument used	Airborne Contamination		Reference Method	Remarks
						No. of Samples	Average mg/m ³		
1	24/06/2022	Dozer-Ripper	Vinod Bhai	Total Dust	Vaibhav Personnel Dust Sampler VPDS 203	01	1.24	Gravimetric	Closed Cabin for Operators
				Silica Dust			0.005		
2	24/06/2022	Excavator	Bhikhu Bhai	Total Dust		01	1.13		
				Silica Dust			0.008		
3	24/06/2022	Truck	Savdas Bhai	Total Dust		01	1.29		
				Silica Dust			0.004		
4	24/06/2022	Weigh Bridge	Mandip Joshi	Total Dust		01	1.22		
				Silica Dust			0.007		

Instrument Calibration Done On.: 04/03/2022

Royal Environment Auditing & Consultancy Service



Ashish Patat
Authorized Sign.



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :590/05/2022-23

Date: 31/05/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MAY 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	—	04/05/2022	04/05/2022	05/05/2022	05/05/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	—	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	2 to 15	2 to 15	2 to 15	2 to 15
05.	Average flow rate during sampling	m3/minutes	1.20	1.10	1.20	1.17
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	31.5	28.6	30.3	30.1
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	53.4	51.6	52.8	52.6
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	12.9	14.5	13.6	13.7
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	22.6	20.4	23.8	22.3

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :591/05/2022-23

Date: 31/05/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MAY 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	—	04/05/2022	04/05/2022	05/05/2022	05/05/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	—	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	2 to 15	2 to 15	2 to 15	2 to 15
05.	Average flow rate during sampling	m3/minutes	1.20	1.10	1.10	1.13
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	30.8	32.2	31.4	31.5
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	52.3	50.9	53.7	52.3
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	14.2	13.8	12.7	13.6
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	21.9	20.9	23.1	22.0

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :6050/05/2022-23

Date: 31/05/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MAY 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	—	27/05/2022	27/05/2022	27/05/2022	27/05/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	—	SE	SE	SE	SE
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m ³ /minutes	1.17	1.12	1.19	1.16
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	32.6	30.9	31.5	31.7
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	48.6	50.3	51.4	50.1
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.2	10.6	12.4	12.1
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	22.1	18.9	20.4	20.5

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling KIT- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :6051/05/2021-22

Date: 31/05/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MAY 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	27/05/2022	27/05/2022	27/05/2022	27/05/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SE	SE	SE	SE
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m3/minutes	1.12	1.16	1.21	1.16
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	34.1	32.8	33.6	33.5
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	52.4	49.6	50.7	50.9
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.0	11.5	12.9	12.5
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	19.5	21.6	22.3	21.1

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Reference No. : 2021/05/2022-23

Date : 31/05/2022

Personnel Dust Monitoring of HEMM Operators

1. Name of Unit: Chorbedi Limestone Mine of Shree Digvijay Cement Company Limited
Village: Chorbedi, Taluka Lalpur, Dist: Jamnagar
2. Type of Unit: Limestone Mining
3. Activity: HEMM Operation
4. Type of Sample: Personnel Dust Monitoring of HEMM Operators
5. Sample Collected by: Mr. Ashish Patat
6. Date of Monitoring: 27th May, 2022

Sr. No.	Date	Location / Operation Mentioned (Operator 's Cabin of)	Name of Operator	Identified Contaminant	Sampling Instrument used	Airborne Contamination		Reference Method	Remarks
						No. of Samples	Average mg/m ³		
1	27/05/2022	Dozer-Ripper	Sadik Husain	Total Dust	Vaibhav Personnel Dust Sampler VPDS 203	01	1.33	Gravimetric	Closed Cabin for Operators
				Silica Dust			0.002		
2	27/05/2022	Excavator	Govind H Vasra	Total Dust		01	1.27		
				Silica Dust			0.006		
3	27/05/2022	Truck	Savdas Bhai	Total Dust		01	1.24		
				Silica Dust			0.006		
4	27/05/2022	Weigh Bridge	Mandip Joshi	Total Dust		01	1.29		
				Silica Dust			0.004		

Instrument Calibration Done On.: 13/03/2021

Royal Environment Auditing & Consultancy Service



Authorized Sign.

Ref. No. : 2021/05/2022-23

Date: 31/05/2022

Form No. 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A(2)(e).

1 Name of the Department/Plant.: Chorbedi Limestone Mine of Shree Digvijay Cement Company Limited, Village: Chorbedi, Taluka Lalpur, Dist: Jamnagar

2 Raw materials, by-products and finished products involved in the process.: **Raw Materials:** Lime stone

Date of Sampling: 27th May 2022

Sr. No.	Location/ Operation mentioned	Identified contaminant	Sampling instrument used	Airborne Contamination			TWA Concentration (As given in Second Schedule) in mg/m ³	Reference method	Number of workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
				Number of Samples	Range (mg/m ³)	Average (mg/m ³)						
1	2	3	4	5	6	7	8	9	10	11	12	13
1	Nr. Weigh Bridge	Total Dust	Personal Dust Sampler VPDS 203	2	1.3-2.0	1.65	5.0	Gravimetric	5	-	<i>Ashish</i>	Mr. Ashish Patat

Calibration Done on: 04/03/2021

Royal Environment Auditing & Consultancy Service



Ashish
Authorized Sign.



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :491/04/2022-23

Date: 30/04/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : APRIL 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	05/04/2022	05/04/2022	06/04/2022	06/04/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	----	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m3/minutes	1.10	1.20	1.20	1.17
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	28.6	31.2	26.5	28.8
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	50.7	51.9	55.6	52.7
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.2	15.5	12.4	13.7
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	18.3	22.5	21.0	20.6

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date: 30/04/2022

Ref. No. :490/04/2022-23

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : APRIL 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	05/04/2022	05/04/2022	06/04/2022	06/04/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m3/minutes	1.10	1.20	1.10	1.13
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	28.1	30.6	26.2	28.3
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	51.6	54.2	57.0	54.3
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	15.2	13.6	14.1	14.3
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	19.5	21.5	24.9	22.0

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bai Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 5051/03/2021-22

Date: 30/04/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : APRIL 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	21/04/2022	21/04/2022	21/04/2022	21/04/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m3/minutes	1.19	1.20	1.14	1.18
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	35.2	28.6	31.6	31.8
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	50.6	52.8	51.4	51.6
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	11.5	12.4	14.6	12.8
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	18.4	22.4	19.3	20.0

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 5050/04/2022-23

Date: 30/04/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : APRIL 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st	2 nd	3 rd	
			8:00 Hrs.	8:00 Hrs.	8:00 Hrs.	
01.	Date of sampling	---	21/04/2022	21/04/2022	21/04/2022	21/04/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	SW	SW	SW	SW
04.	Average Wind Speed	Km./Hrs.	4 to 13	4 to 13	4 to 13	4 to 13
05.	Average flow rate during sampling	m3/minutes	1.11	1.16	1.20	1.16
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	30.9	28.5	29.2	29.5
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	43.6	51.8	47.2	47.5
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	12.5	11.3	13.5	12.4
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	23.6	17.6	19.5	20.2

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :390/03/2021-22

Date: 31/03/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES :MARCH 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	08/03/2022	08/03/2022	09/03/2022	09/03/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	NE	NE	NE	NE
04.	Average Wind Speed	Km./Hrs.	3 to 15	3 to 15	3 to 15	3 to 15
05.	Average flow rate during sampling	m3/minutes	1.20	1.10	1.20	1.17
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	26.5	31.9	31.5	30.0
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	54.3	57.6	60.8	57.6
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.8	12.4	11.9	12.7
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	17.5	14.8	22.5	18.3

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseous Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127
Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :391/03/2021-22

Date: 31/03/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MARCH 2022 (1st time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	08/03/2022	08/03/2022	09/03/2022	09/03/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	NE	NE	NE	NE
04.	Average Wind Speed	Km./Hrs.	3 to 15	3 to 15	3 to 15	3 to 15
05.	Average flow rate during sampling	m ³ /minutes	1.20	1.10	1.10	1.13
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	30.8	31.5	29.7	30.7
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	54.6	52.8	57.7	55.0
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	11.5	12.7	9.4	11.2
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	16.2	20.7	21.7	19.5

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseous Sampling Kit AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :4050/03/2021-22

Date: 31/03/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MARCH 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 1. Near Weigh Bridge			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	30/03/2022	30/03/2022	30/03/2022	30/03/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	NE	NE	NE	NE
04.	Average Wind Speed	Km./Hrs.	1 to 16	1 to 16	1 to 16	1 to 16
05.	Average flow rate during sampling	m3/minutes	1.16	1.14	1.22	1.17
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	33.6	31.5	32.9	32.7
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	45.2	54.9	44.0	48.0
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	14.2	13.2	12.9	13.4
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	21.5	19.4	17.3	19.4

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. :3051/03/2021-22

Date: 31/03/2022

REPORT OF AMBIENT AIR QUALITY MONITORING : Core Zone CHORBEDI MINES : MARCH 2022 (2nd time)

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sr. No.	Particulars	Unit	Core Zone = 2. Near Loading Place			Average Result of 24 Hrs.
			1 st 8:00 Hrs.	2 nd 8:00 Hrs.	3 rd 8:00 Hrs.	
01.	Date of sampling	---	30/03/2022	30/03/2022	30/03/2022	30/03/2022
02.	Duration of Sampling	Hrs.	8.00	8.00	8.00	24.00
03.	Dominant Wind Direction (From)	---	NE	NE	NE	NE
04.	Average Wind Speed	Km./Hrs.	1 to 16	1 to 16	1 to 16	1 to 16
05.	Average flow rate during sampling	m3/minutes	1.15	1.18	1.21	1.18
06.	Average flow rate for Gas sampling	LPM	2.0	2.0	2.0	2.0
07.	Permissible Limits of PM 2.5	µg/m ³	60	60	60	60
08.	Measured Concentration of PM 2.5	µg/m ³	32.2	34.5	30.9	32.5
09.	Permissible Limits of PM 10	µg/m ³	100	100	100	100
10.	Measured Concentration of PM 10	µg/m ³	53.2	57.6	55.4	55.4
11.	Permissible Limits of SO ₂	µg/m ³	80	80	80	80
12.	Measured Concentration of SO ₂	µg/m ³	13.4	9.8	11.4	11.5
13.	Permissible Limits of NO ₂	µg/m ³	80	80	80	80
14.	Measured Concentration of NO ₂	µg/m ³	17.8	21.5	20.6	20.0

Instrument used : 1) Ecotech RDS, Model No. AAS - 217BL, Gaseouse Sampling Kit- AAS 109 & PM 2.5 Sampler AAS 127

Calibrate Done on : 27/12/2021

Royal Environment Auditing & Consultancy Service



Ashish

Analyst

Ref. No. : 1021/04/2022-23

Date: 30/04/2022

Form No. 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under Section 7-A(2)(e).

1 Name of the Department/Plant.: Chorbadi Limestone Mine of Shree Digvijay Cement Company Limited. Village: Chorbadi, Taluka Lalpur, Dist: Jamnagar

2 Raw materials, by-products and finished products involved in the process.: Raw Materials: Lime stone

Date of Sampling: 21st April 2022

Sr. No.	Location/ Operation mentioned	Identified contaminant	Sampling instrument used	Airborne Contamination			TWA Concentration (As given in Second Schedule) in mg/m ³	Reference method	Number of workers exposed at the location being monitored	Remarks	Signature person taking samples	Name (in block letters)
				Number of Samples	Range (mg/m ³)	Average (mg/m ³)						
1	2	3	4	5	6	7	8	9	10	11	12	13
1	Nr. Weigh Bridge	Total Dust	Personal Dust Sampler VPDS 203	2	1.1-1.8	1.45	5.0	Gravimetric	4	—	<i>Ashish</i>	Mr. Ashish Patat

Calibration Done on.: 04/03/2021

Royal Environment Auditing & Consultancy Service



[Signature]
Authorized Sign



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 697/06/2022-23

Date: 30/06/2022

REPORT OF AMBIENT NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 24/06/2022

Sr. No.	Location of Sampling	Noise Level Avg. in dB (A)	
		Day Time 06:00 AM to 10:00 PM	Night Time 10:00 PM to 06:00 AM
01.	GOP Mines Adm. Building	58.2	45.7
02.	Chorbedi Mines Adm. Building	54.3	40.8
03.	Pachhtar and Pachhtardi Mines Adm. Building	52.6	43.5


CPCB Standards

Area Code	Category of Area / Zone	Limit in dB(A) Leq.	
		Day Time	Night Time
A	Industrial Area	75.0	70.0
B	Commercial Area	65.0	55.0
C	Residential Area	55.0	45.0
D	Silence Zone	50.0	40.0

Reference : Limits As Per The Noise Pollution Regulation and Control Rules, 2000 Schedule See Rule 3(1) and 4(1).

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021


 Royal Environment Auditing & Consultancy Service

 Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 698/06/2022-23

Date: 30/06/2022

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 24/06/2022

Sr. No. Location of Sampling		dB(A)		
Permissible Limits for 8:00 Hrs.		90 dBA		
CHORBEDI MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
01.	Dozer D8 - N (CAT)	82.6	70.8	63.9
02.	Hyundai - 140 (LC - 9)	78.5	70.1	66.3
Pachhtar and Pachhtardi Mines		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
03.	Dozer BD 355 Dozer(New)	84.1	73.9	61.4
04.	Hyundai - 140 Excavator	77.3	65.2	61.6
05.	Tata - 200 Excavator	76.9	70.6	65.8
GOP MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
06.	Dozer D8 - N (CAT)	83.4	71.3	66.2
07.	Hyundai - 140 (LC - 9)	74.9	69.4	64.5

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021

Royal Environment Auditing & Consultancy Service



Ashish
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 597/05/2022-23

Date: 31/05/2022

REPORT OF AMBIENT NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 26/05/2022

Sr. No.	Location of Sampling	Noise Level Avg. in dB (A)	
		Day Time 06:00 AM to 10:00 PM	Night Time 10:00 PM to 06:00 AM
01.	GOP Mines Adm. Building	55.9	46.8
02.	Chorbedi Mines Adm. Building	52.1	38.6
03.	Pachhtar and Pachhtardi Mines Adm. Building	53.4	40.5

CPCB Standards			
Area Code	Category of Area / Zone	Limit in dB(A) Leq.	
		Day Time	Night Time
A	Industrial Area	75.0	70.0
B	Commercial Area	65.0	55.0
C	Residential Area	55.0	45.0
D	Silence Zone	50.0	40.0

Reference : Limits As Per The Noise Pollution Regulation and Control Rules, 2000 Schedule See Rule 3(1) and 4(1).

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021



Royal Environment Auditing & Consultancy Service

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bai Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 • E-mail : royalenvironment@live.com • admin@royalconsultancy.com

Ref. No. : 598/05/2022-23

Date: 31/05/2022

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 26/05/2022

Sr. No.	Location of Sampling	dB(A)		
Permissible Limits for 8:00 Hrs.		90 dBA		
CHORBEDI MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
01.	Dozer D8 - N (CAT)	74.8	69.5	64.2
02.	Hyundai - 140 (LC - 9)	76.9	72.3	65.1
Pachhtar and Pachhtardi Mines		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
03.	Dozer BD 355 Dozer(New)	77.3	68.4	61
04.	Hyundai - 140 Excavator	76.8	67.2	62.4
05.	Tata - 200 Excavator	78.2	73.1	66.5
GOP MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
06.	Dozer D8 - N (CAT)	77.9	72.6	65.7
07.	Hyundai - 140 (LC - 9)	76.3	71.4	63.9

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021



Royal Environment Auditing & Consultancy Service

Ashish

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 497/04/2022-23

Date: 30/04/2022

REPORT OF AMBIENT NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 05/04/2022

Sr. No.	Location of Sampling	Noise Level Avg. in dB (A)	
		Day Time 06:00 AM to 10:00 PM	Night Time 10:00 PM to 06:00 AM
01.	GOP Mines Adm. Building	54.2	43.6
02.	Chorbedi Mines Adm. Building	47.5	35.3
03.	Pachhtar and Pachhtardi Mines Adm. Building	52.9	42.8

CPCB Standards

Area Code	Category of Area / Zone	Limit in dB(A) Leq.	
		Day Time	Night Time
A	Industrial Area	75.0	70.0
B	Commercial Area	65.0	55.0
C	Residential Area	55.0	45.0
D	Silence Zone	50.0	40.0

Reference : Limits As Per The Noise Pollution Regulation and Control Rules, 2000 Schedule See Rule 3(1) and 4(1).

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 498/04/2022-23

Date: 30/04/2022

WORK ZONE NOISE LEVEL MEASUREMENT

Name of company : Shree Digvijay Cement Company Limited

Digvijaygram - 361 140.

District : Jamnagar.

Sampling Date : 05/04/2022

Sr. No. Location of Sampling		dB(A)		
Permissible Limits for 8:00 Hrs.		90 dBa		
CHORBEDI MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
01.	Dozer D8 - N (CAT)	75.2	70.5	62.3
02.	Hyundai - 140 (LC - 9)	77.9	74.6	63.4
Pachhtar and Pachhtardi Mines		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
03.	Dozer BD 355 Dozer(New)	76.3	70.4	64.3
04.	Hyundai - 140 Excavator	77.2	69.5	64
05.	Tata - 200 Excavator	79.8	74.2	67.1
GOP MINES		Inside Cabin	15 Mtr. Away from m/c.	50 Mtr. Away from m/c.
06.	Dozer D8 - N (CAT)	79.4	74.5	68.2
07.	Hyundai - 140 (LC - 9)	78.2	73.1	65.6

Instruments used : Sound level meter, model : IL-006719. (SIGMA)

Calibration done on : 30/09/2021

Royal Environment Auditing & Consultancy Service



Analyst



Annexure D

CHORBEDI (COMPOSITE) LIMESTONE MINES

YEARLY EXPENDITURE STATEMENT

FOR ENVIRONMENT MANAGEMENT

For the Period of 2022-23 (April to September)

S. No.	WORK	Grand Total
1	Ambient Air & Noise Monitoring	19440
2	Water Sprinkling on haul roads	80500
3	Digging, Purchasing of Sapling, Purchase of Soil, Security and Maintenance	2026880
	Total	21,26,820


Signature

Malay Kumar Rout

Manager - Mines

**SHREE DIGVIJAY
CEMENT CO. LTD.**

● **Registered Office & Works**
Post- Digvijaygram 361140, Jamnagar,
Gujarat, India.
CIN L26940GJ1944PLC000749

☎ +91 288 234 4272-75
☎ +91 288 234 4092
✉ info@digvijaycement.com
www.digvijaycement.com