



Through E-mail

SDCCL/ENV/F – 45 / 01

Date: 30.11.2023

To,
Deputy Director General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, A wing- 407 & 409,
Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhi Nagar-382010
Mail Id: iro.gandhingr-mefcc@gov.in

Subject: Submission of Six-Monthly Environmental Clearance compliance report for Expansion of Cement Plant (1.20 MTPA to 3.00 MTPA) and Clinker (1.10 MTPA to 2.21 MTPA) with 8.5 MW WHRS in 48.71 ha by M/s. Shree Digvijay Cement Company Ltd., located at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat for the period of April 2023 to September 2023.

Ref: EC Letter No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

Dear Sir,

This has reference to above subject matter; we are herewith submitting the Six-Monthly compliance report of stipulated conditions as laid down in Environmental Clearance for the period of April 2023 to September 2023 along with following documents.

1. Compliance status report of annual Performance monitoring of pollution control equipment report 2022-23 is enclosed as Annexure-1.
2. The test report of Dioxin & furan monitoring is enclosed as Annexure-2.
3. Compliance status of recommendations made in the risk assessment report & implementation is enclosed as Annexure-3.
4. Monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions is enclosed as Annexure-4.
5. Noise quality monitoring report is enclosed as Annexure-5.

This is for your kind information and record please.

Thanking you,

For Shree Digvijay Cement Company Limited


(R. Krishna Kumar)
Plant Head



**SHREE DIGVIJAY
CEMENT CO. LTD.**

Registered Office & Works
Post- Digvijaygram 361140, Jamnagar,
Gujarat, India.
CIN L26940GJ1944PLC000749

+91 288 234 4272-75
+91 288 234 4092
info@digvijaycement.com
www.digvijaycement.com



Encl: A/a

Cc:

1. **MEMBER SECRETARY,**
Gujarat Pollution Control Board, Sector 10-A, Paryavaran Bhavan, Gandhinagar – 382 010
Mail id: membersecretarygpcb@gmail.com, ms-gpcb@gujarat.gov.in
2. **Regional Officer,**
Gujarat Pollution Control Board, JADA Building, Sardar Patel Bhavan, Kasturba Gandhi Road,
Opp. TB Hospital, Jamnagar – 361 005, Mail id: ro-gpcb-jamn@gujarat.gov.in
3. **Regional Director,**
Central Pollution Control Board,
Parivesh Bhawan, Opp. Ward No. 10 VMC Office Subhanpura, Vadodara – 390 023
Mail Id: prasoon.cpcb@nic.in

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



**KAMAL
CEMENT**
SINCE 1944

HALF-YEARLY COMPLIANCE STATUS REPORT OF ENVIRONMENTAL CLEARANCE FOR EXPANSION OF CEMENT PLANT (1.20 TO 3.00 MTPA) AND CLINKER (1.10 TO 2.21 MTPA) WITH 8.5 MW WHRS LOCATED IN 48.71 HA, M/S SHREE DIGVIJAY CEMENT COMPANY LTD., LOCATED AT P.O. DIGVIJAYGRAM, SIKKA, DISTRICT JAMNAGAR, GUJARAT.

(Period of Compliance status: 1st April 2023 to 30th September 2023)

SN	Conditions	Compliance Status
A. Specific conditions:		
(i)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted & agreed
(ii)	The PP shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Noted & agreed
(iii)	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Noted and compliance assured
(iv)	Sikka (10 m, East to North), Nimaz Colony (20 m, South west), Mungni village (750m, South) and GSECL (TPS) colony (400 m, South East) falls within 10 km radius study area of the project site. Also, there are two schools present adjacent to the project site namely SDDCL Public School (arial 20 m from plant boundary) and SDDCL Pre Primary & Primary School (arial 45 m from plant boundary). Project Proponent shall implement appropriate environmental safeguard measures to minimise the impact including dense vegetation/plantation around the schools. The PP shall also include some of these locations in its environmental monitoring programme.	Noted and compliance assured
(v)	As committed, PP shall adopt village Digvijaygram and implement Village Adoption program consisting of need-based community development activities, to develop into model village.	Noted and compliance assured.
(vi)	A seasonal nala enters through the SSE direction into the plant boundary and exits in south western direction and covers a short distance of 375 m in the south side of plant area. Gulf of Kachchh is at a distance of 0.5 km in the NW direction. The EAC is of the opinion that as submitted a robust and full proof Drainage Conservation scheme to protect the natural drainage and its flow parameters; along with Soil conservation scheme and multiple Erosion control measures shall be implemented.	Noted and compliance assured.

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



KAMAL CEMENT
SINCE 1944

(vii)	The water requirement of 240 m ³ /day after expansion is proposed to be obtained from ground water. Necessary permissions shall be obtained from the Competent Authority in this regard. PP shall explore the possibility of shifting to alternate source of water to reduce dependency on groundwater.	Noted and compliance assured.
(viii)	Three tier Green Belt shall be developed in at least 33% of total project area by 2023-24 as per the submitted action plan with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Gap filling of existing plantation shall be undertaken and survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. PP shall develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees & broad leaves with thick canopy alongwith windshield inside the plant premises to act as green barrier for air pollution & noise levels towards nearby habitation and schools. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEF&CC.	Noted and compliance assured.
(ix)	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.	Noted and compliance assured.
(x)	PP shall undertake conservation of mangroves as per the submitted action plan.	Noted and compliance assured along with execution of proposed expansion project. MOU with Govt. of Gujarat for Mangrove plantation – 40 ha. Has been signed on 06-07-2023 as a part of Prime Minister's MISHTI (Mangrove Initiative for Shoreline Habitats and Tangible Incomes) scheme, in presence of Hon'ble Minister of Environment, Forest & Climate Change, Gol, New Delhi. 
(xi)	The proposed project shall be designed as "Zero Liquid Discharge" Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic	Noted and compliance assured.

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



	effluent shall be treated in Sewage Treatment Plant. MSW waste shall be treated in digester and recovered gas shall be used in the canteen.	
(xii)	The PP shall also undertake rain water harvesting measures as per the plan submitted in the EIA/EMP report and reduce water dependence from the outside source.	Noted and compliance assured.
(xiii)	All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.	Noted and compliance assured.
(xiv)	All internal and connecting road to the Highway shall be black topped/ concreted with suitable load in term of Million Standard Axle (MSA) as per IRC guidelines.	Noted and compliance assured.
(xv)	Performance monitoring of pollution control equipment shall be taken up yearly and compliance status in this regard shall be reported to the concerned Regional Office of the MoEF&CC.	Noted and compliance assured.
(xvi)	Dioxin and furans shall be monitored twice a year during co-processing of hazardous waste and report shall be submitted to the Regional Office of the MoEF&CC.	Noted and compliance assured.
(xvii)	Particulate matter emissions from all the stacks shall be less than 30 mg/Nm ³ .	Noted and complied
(xviii)	DeSOx system shall be provided dry type. NOx level shall be maintained below 600 mg/Nm ³ by using best available technology.	Noted and complied
(xix)	Petcoke dosing shall be controlled automatically to control SO ₂ emission from chimney within the prescribed limits.	Noted and compliance assured
(xx)	PP shall identify the Source of fluoride emissions and action plan to mitigate the same shall be implemented.	Noted and Compliance assured.
(xxi)	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.	Noted and Compliance assured.
(xxii)	Action Plan for fire fighting system including provision for flame detectors, temperature actuated heat detectors with alarms, automatic sprinkler system, fixing the location of fire water tanks, separate power system for fire fighting, involvement of qualified and trained fire personnel, nearest fire station & time required to reach the proposed site shall be prepared and implemented.	Noted and compliance assured.
(xxiii)	All the recommendations made in the risk assessment report shall be implemented and compliance status in this regard shall be furnished to the Regional Office of the MoEF&CC along with the six monthly compliance report.	Noted and compliance assured.
(xxiv)	All the commitments made to the public during the Public Hearing/Public Consultation shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the Regional Office of MoEF&CC.	Noted and compliance assured.

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



**KAMAL
CEMENT**
SINCE 1944

(xxv)	The recommendations of the approved Site-Specific Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	Noted and compliance assured.
(xxvi)	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/ . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.	Already in practice and will continue to comply. The report along with photographs on the measures taken is enclosed as Annexure-A
(xxvii)	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.	Noted and being complied.

B. General conditions

I. Statutory compliance:

i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.	Noted and being complied.
----	--	---------------------------

II. Air quality monitoring and preservation

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



i.	The project proponent shall install 24x7 continuous emission monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25thAugust, 2014 (Cement) and subsequent amendment dated 9thMay, 2016 (Cement) and 10th May, 2016 (in case of Co-processing Cement); as amended from time to time; and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and being complied.
ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.	Noted and being complied.
iii.	The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120°each), covering upwind and downwind directions.	Noted and being complied.
iv.	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Noted and compliance assured.
v.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Noted & being complied.
vi.	The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.	Noted & being complied.
vii.	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.	Noted & being complied.
viii.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Noted & being complied.
ix.	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	Noted & being complied.
x.	Provide wind shelter fence and chemical spraying on the raw material stock piles; and	Noted.
xi.	Provide Low NOX burners as primary measures and SCR /NSCR technologies as secondary measure to control NOX emissions.	Noted & being complied.
xii.	Have separate truck parking area and monitor vehicular emissions at regular interval.	Noted & being complied.

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



xiii.	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport	Noted & being complied.
xiv.	Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants.	Noted & being complied.
III. Water quality monitoring and preservation		
i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and 10 th May, 2016 (in case of Co-processing Cement) as amended from time to time; and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Not applicable
ii.	The project proponent shall regularly monitor ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Noted & being complied.
iii.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	Noted & being complied.
iv.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off	Noted
v.	Water meters shall be provided at the inlet to all unit processes in the cement plant.	Noted & being complied.
vi.	The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Noted & being complied.
IV. Noise monitoring and prevention		
i.	Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noted and compliance assured.
ii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Noted & being complied.
V. Energy Conservation measures		
i.	Waste heat recovery system shall be provided for kiln and cooler.	Complied
ii.	The project proponent makes efforts to achieve power consumption less than 65 units/ton for Portland	Noted and compliance assured.

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



**KAMAL
CEMENT**
SINCE 1944

	Pozzolona Cement (PPC) and 85 units/ton for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.	
iii.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Noted and compliance assured.
iv.	Provide the project proponent for LED lights in their offices and residential areas.	Noted & being complied.
VI. Waste management		
i.	Used refractories shall be recycled as far as possible.	Noted & being complied.
VII. Green Belt		
i.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration by trees in the plant premises.	Noted and compliance assured.
ii.	Project proponent shall submit a study report within six months on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames.	Noted and compliance assured.
VIII. Public hearing and Human health issues		
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted & being complied.
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	Noted & being complied.
iii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Noted & being complied.
IX. Environment Management		
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.	Noted & being complied.
ii.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest /	Complied

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.

EC Identification No. EC23A009GJ110379



	wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Noted & being complied.
X. Miscellaneous		
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	The Environmental Clearance along with environmental conditions and safeguards has been advertised in local newspapers as • "Times of India" dated 26.04.2023 in English Language. • "Sandesh" dated 26.04.2023 in Gujarati Language. Environmental Clearance along with environmental conditions and safeguards is displayed in Company's website.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copies of the environmental clearance have been submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government within the stipulated time. Same is enclosed as Annexure-B .
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and compliance assured.
iv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral	All parameters related to Ambient Air & stack emissions are displayed in display board & LED

Shree Digvijay Cement Company Limited

P.O. Digvijaygram - 361140, Sikka, District – Jamnagar, Gujarat

Environment Clearance No. IA-J-11011/409/2019-IA-II(IND-I) Dated: 21st April 2023.


EC Identification No. EC23A009GJ110379



**KAMAL
CEMENT**
SINCE 1944

	parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	display board. 
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and compliance assured.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied.
vii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted
viii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and compliance assured.
ix.	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.	Noted and compliance assured.
x.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted and compliance assured.
xi.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted and compliance assured.

For Shree Digvijay Cement Company Limited


(R. Krishna Kumar)
Plant Head





REPORT ON AWARENESS SESSIONS ON BAN OF SUP ITEMS (SINGLE USE PLASTIC)

INTRODUCTION

Single-use plastics pose a significant threat due to their enduring impact on the environment, potential harm to wildlife and ecosystems, their role in depleting valuable resources and contributing to greenhouse gas emissions, as well as the health-related risks they entail. Therefore, reducing the usage of single-use plastics and embracing more sustainable alternatives is imperative to alleviate these detrimental effects and advance our efforts towards a cleaner, healthier, and more sustainable planet.

This is precisely why Shree Digvijay Cement Co. Ltd (SDCCL) is wholeheartedly committed to raising awareness about the issues associated with single-use plastics. The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. To ensure the compliance of Notification published by Ministry on 12/08/2021, SDCCL is organising the sensitization and awareness programmes among people working within the Project area as well as its surrounding area on the ban of SUP. Some Pictures are given for the reference.




AWARENESS SESSION WITH HOUSEWIFE ON SUP



AWARENESS SESSION ON SUP BAN AT PRIMARY SCHOOL, DIGVIJAYGRAM



AWARENESS DISPLAY BOARD AT CANTEN AREA INSIDE PLANT



AWARENESS DISPLAY BOARD NR. MAIN FACTORY GATE





AWARENESS DISPLAY BOARD NR. BUS STOPPAGE, DIGVIJAYGRAM



AWARENESS DISPLAY BOARD - INSIDE THE PLANT



AWARENESS DISPLAY BOARD NR. ADMINISTRATIVE BUILDING



AWARENESS DISPLAY BOARD AT CANTEN AREA OUTSIDE



AWARENESS DISPLAY BOARD – AT BHUNGA



AWARENESS DISPLAY BOARD AT SCHOOL, DIGVIJAYGRAM





DISPLAY BOARD – AT GRAM PANCHAYAT



MONTHLY AWARENESS SESSIONS WITH EMPLOYEES DURING GATE MEETING



AWARENESS PROGRAM WITH EMPLOYEES DURING TOOLBOX TALK



AWARENESS PROGRAM WITH EMPLOYEES DURING TOOLBOX TALK



AWARENESS PROGRAM ON SUP BAN WITH SCHOOL CHILDREN





**KAMAL
CEMENT**

SINCE 1944

24th April'2023

SDCCL /CP/Expansion/2022-23/5

Member Secretary,
Gujarat Pollution Control Board
Paryavaran Bhavan
Sector – 10 – A,
Gandhinagar - 382010

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,
Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory

24/04/23
Gujarat Pollution Control Board
Head Office
Sector No.-10-A,
Gandhinagar-382010

CC : **Unit Head (Jamnagar),** Gujarat Pollution Control Board, Paryavaran Bhavan, Sector – 10 – A, Gandhinagar - 382010



SINCE 1944

24th April'2023

SDCCL /CP/Expansion/2022-23/5

Member Secretary,
Gujarat Pollution Control Board
Paryavaran Bhavan
Sector – 10 – A,
Gandhinagar - 382010

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,
Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory

27/04/23
Gujarat Pollution Control Board
Head Office
Sector No.-10-A,
Gandhinagar-382010

✓ CC : Unit Head (Jamnagar), Gujarat Pollution Control Board, Paryavaran Bhavan, Sector – 10 – A, Gandhinagar - 382010



SDCCL /CP/Expansion/2022-23/9

24th April'2023

Regional Assistant Labour Commissioner (C)

Shram Bhavan,
4th Floor, Nr.Gun House,
Khanpur,
Ahmedabad – 380001, Gujarat

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.


We request you to take note of the above information and record.

Thanking you,

Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory



CC:

- (1) Assistant Labour Commissioner (C), Kothi Compound, Opp. Civil Hospital, Rajkot
- (2) Labour Enforcement Officer, Kothi Compound, Opp. Civil Hospital, Rajkot

Beegda-3
26/04/2023



SDCCL /CP/Expansion/2022-23/3

24th April'2023

Prant Officer (Jamnagar Rural)

Jilla Seva Sadan,
Saru Section Road,
Jamnagar - 361002

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,

Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory

✓ CC : Mamlatdar (Jamnagar Rural), Jilla Seva Sadan, Saru Section Road, Jamnagar - 361002



SDCCL /CP/Expansion/2022-23/7

24th April'2023

President

Jilla Panchayat
Jilla Panchayat Office
Jamnagar - 361008,
Gujarat

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,

Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory



SDCCL /CP/Expansion/2022-23/8

24th April'2023

Asst. Director Industrial Safety and Health

Sweet House, Indira Road,
Opp. Hotel Bansi,
Jamnagar - 361008,
Gujarat

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,

Yours Faithfully,

For, Shree Digvijay Cement Company Limited

Authorised Signatory

26/04/2023

કલાર્ક

ડિપુટી ડાયરેક્ટર

ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થની કચેરી
જામનગર



SDCCL /CP/Expansion/2022-23/11

24th April'2023

The PCCF & HOFF,
Block A, 1st Floor,
Aranya Bhavan,
Opp, St. Xaviers School,
Near Ch-3 Circle, Sector-10/A,
Gandhinagar - 382010.

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.


We request you to take note of the above information and record.

Thanking you,
Yours Faithfully,
For, Shree Digvijay Cement Company Limited

Authorised Signatory

24/4/2023
Deepesh Chok
Principal Chief Conservator of Forests
Gujarat State, Aranya Bhavan,
Gandhinagar-382010

CC: DCF – MNP, Marine National Park , Vansankul, Ganjivada, Nr. Nagnath Gate, Jamnagar
DCF – Forest, Vansankul, Ganjivada, Nr. Nagnath Gate, Jamnagar



SDCCL /CP/Expansion/2022-23/12

24th April'2023

The Regional Officer,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office,
A wing- 407 & 409,
Aranya Bhawan,
Near CH-3 Circle, Sector-10 A,
Gandhi Nagar -382010.

Sub.: Intimation regarding Grant of Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat.

Ref.: Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023 of MoEF & CC, New Delhi.

Dear Sir,

This is to inform that the Ministry of Environment, Forest & Climate Change, Impact Assessment Division, Government of India, New Delhi – 110003 has accorded Environment Clearance to Expansion of Cement Plant (1.20 to 3.00 MTPA) and Clinker (1.10 to 2.21 MTPA) with 8.5 MW WHRS of Shree Digvijay Cement Company Limited, located in 48.71 Ha, at P.O. Digvijaygram, Sikka, District Jamnagar, Gujarat vide Environment Clearance Letter No. F.No.IA-J-11011/409/2019-IA-II (IND-I) dated 21.04.2023.

A copy of Environment Clearance letter is attached herewith for your kind perusal and information please.

We request you to take note of the above information and record.

Thanking you,
Yours Faithfully,
For, Shree Digvijay Cement Company Limited

Authorised Signatory

